

VTigerCRM : Procédure d'installation et de changement de langage

 Créé le 15 juillet 2008 par Louis Volant. Tags : *Vtiger, CRM, PGI*

J'ai installé correctement VTigerCRM, et je le prouve : voici les screenshots de la procédure d'installation, ainsi qu'un screenshot de celle pour procéder à l'ajout d'un langage pack dans VTigerCRM.

Installer VTigerCRM sur un hébergement WEB :

1. D'abord, il vous faudra télécharger les sources
(<http://prdownloads.sourceforge.net/vtigercrm/vtigercrm-5.0.4.tar.gz?download>)
2. Puis, il vous faudra décompresser l'archive contenant ces sources
3. Il vous faudra les envoyer sur un hébergement web (comme avec Wordpress/DotClear/Joomla par exemple)
4. Puis aller à la racine du dossier où est situé votre VTiger sur l'hébergement, et ce, avec votre navigateur favoris, j'ai nommé Firefox (ça marche aussi avec les autres, hein). Par exemple, si vous avez envoyé votre dossier vtiger (le dossier et le contenu) sur monhebergementvtiger.net/ici, et bien pour accéder à la procédure d'installation, il faudra aller à l'URL monhebergementvtiger.net/ici/vtiger/.

Ensuite, vous allez tomber sur les pages suivantes (cliquez sur les images pour les avoir en plus grand) :

Welcome

- Installation Check
- System Configuration
- Confirm Settings
- Config File Creation
- Database Generation
- Finish

Welcome to Configuration Wizard

This Configuration Wizard will create the requisite data needed to get working with vtiger CRM. The entire process should take about four minutes. Click the Start button when you are ready.

- vtiger CRM 5.0.4 is tested on MySQL 4.1.X, MySQL 5.0.19, PHP 5.0.19, PHP 5.2.1 and Apache 2.0.40.

vtiger CRM 5.0.4 will not work on mysql 4.0.x versions and PHP 4.x versions

vtiger CRM can run on a system which has xampp/lampp/wampp already installed in it provided it meets the above mentioned requirements

The installation wizard will guide you with the installation regardless of the setup you may have.

Please take a moment to register your copy of vtiger CRM. Though this is optional, we encourage you to register. Only your name and email address are required for registration. We do not sell, rent, share or otherwise, distribute your information to third parties.

Name*

Email ID*

Contact Number
(optional)

Comments

Please read the [license agreement](#) and click the "Start" button to continue.



Welcome

Installation Check

System Configuration

Confirm Settings

Config File Creation

Database Generation

Finish

Configuration Wizard

Installation Check

Core Components	
PHP version	Passed Version 5.2.6 Installed
IMAP Support Availability	Passed IMAP library available
GD graphics library version 2.0 or later	Passed Version 2.0.34 Installed
ReadWrite Access	
PHP Configuration (config.inc.php)	Writable
Cache Directory (cache/)	Writable
Uploads Directory (storage/)	Writable
Install Directory (install/)	Writable
Installation file (install.php)	Writable
Tabdata File Permission (tabdata.php)	Writable
ParentTabdata File Permission (parent_tabdata.php)	Writable
User Privileges (user_privileges/)	Writable
Smarty Cache Directory (Smarty/cache)	Writable
Smarty Compile Directory (Smarty/templates_c)	Writable
Email Templates Directory (modules/Emails/templates/)	Writable
Mail Merge Template Directory (test/wordtemplatedownload/)	Writable
Product Image Directory (test/product/)	Writable
User Image Directory (test/user/)	Writable
Contact Image Directory (test/contact/)	Writable
Logo Directory (test/logo/)	Writable
Logs Directory (logs/)	Writable
WebMail attachments Directory (modules/Webmails/tmp/)	Writable

Recommended Settings: We strongly suggest that you check for the following values in your php.ini file

Safe Mode Off

Display Errors On

File Uploads On

Register Globals Off

Max Execution Time 600

output_buffering= On

Change the memory limit = 64M

error_reporting = E_ALL & -E_NOTICE

allow_call_time_pass_reference = On

log_errors = Off

short_open_tag= On

[Linux installation pre-requisites](#)

Next >>

Welcome

Installation Check

System Configuration

Confirm Settings

Config File Creation

Database Generation

Finish

Configuration Wizard

System Configuration

Please enter your database configuration information below...

If you do not have root access to your database (for example you are installing in a virtual hosting environment), you will need to have your database created for you before you proceed. However, this installer will still be able to create the necessary database tables.

If you are unsure of your database host, username or password, we suggest that you use the default values below.

* - required information

Database Configuration

Database Type *	MySQL
Host Name *	<input type="text"/> More Information
User Name *	<input type="text"/>
Password *	<input type="password"/>
Database Name *	db246765343 <input type="checkbox"/> Create Database (will drop the database if exists)

Site Configuration

URL *	<input type="text"/>
Path *	<input type="text"/>
Path to Cache Directory * (must be writable)	homepages/14/141005842/htdocs/mdv/vtigercrm/cache/ <input type="text"/>

Admin Configuration

User name	admin
Password *	<input type="password"/>
Email *	<input type="text"/>

Note: The default password is 'admin'. You can change the password if necessary now or else you can change it later after logging-in.

Standarduser Configuration

User name	standarduser
Password *	<input type="password"/>
Email *	<input type="text"/>


Note: The default password is 'standarduser'. You can change the password if necessary now or else you can change it later after logging-in.

This will setup the default currency which will be used for maintaining transactions in vtiger.

Currency Configuration

Name *	Euro
Symbol *	€
Code *	€

Next >>



Voilà ! C'est fait !

Maintenant, vous allez peut-être vouloir utiliser VTiger en langue française.

Pour cela :

Téléchargez le *language pack* qui correspond à la version de VTigerCRM que vous avez installé.

Suivez la procédure d'installation

(http://wiki.vtiger.com/index.php/Installer_le_pack_fran%C3%A7ais), que je rappelle ici :

Pour installer un pack de langue, les manipulations sont très simples et à la portée de tous.

- Téléchargez l'archive contenant les fichiers de langue (page de téléchargement des packs français : http://www.abonlinesolutions.eu/index.php?option=com_content&task=view&id=107&Itemid=97)

```
$default_language = 'fr_fr';
```

- Décompresser l'archive, vous devez y trouver normalement un répertoire "include" et un répertoire "module".
- Copiez ces deux répertoires à la racine de votre installation de vtiger CRM.
- Éditez le fichier /config.inc.php (il se trouve à la racine de votre installation)
- Changez la ligne :

```
$languages = Array('en_us'=>'US English',);
```

par :

```
$languages = Array('en_us'=>'US English', 'fr_fr'=>'Français',);
```

La langue Française est maintenant disponible dans la liste de sélection de la page login.

Vous pouvez définir le Français comme langue par défaut.

Changez la ligne :

```
$default_language = 'en_en';
```

J'ai fait un screenshot de ce qu'il faut modifier (cliquez sur l'image pour la voir en plus grand) :

```

153 $default_password = '';
154
155 // create user with default username and password
156 // create_default_user default value = false
157 $create_default_user = false;
158 // default_user_is_admin default value = false
159 $default_user_is_admin = false;
160
161 // if your MySQL/PHP configuration does not support persistent connections set this to true to avoid a large performance slowdown
162 // disable_persistent_connections default value = false
163 $disable_persistent_connections = false;
164
165 // defined languages available. the key must be the language file prefix. (Example 'en_us' is the prefix for every 'en_us.lang.php'
    file)
166 // languages default value = en_us=>US English
167 $languages = Array('en_us'=>'US English', 'fr_fr'=>'Français'); |
168
169 //Master currency name
170 $currency_name = 'Euro';
171
172 // default charset
173 // default charset default value = 'UTF-8' or 'ISO-8859-1'
174 $default_charset = 'ISO-8859-1';
175
176 // default language
177 // default_language default value = en_us
178 $default_language = 'en_us';
179
180 // add the language pack name to every translation string in the display.
181 // translation_string_prefix default value = false
182 $translation_string_prefix = false;
183
184 //Option to enable the permissions for speed

```

Enfin, il suffit d'aller à la page d'identification de VTiger, et dans le menu déroulant, de choisir la langue française ! Facile, non ?